



- ▶ **S.S. Setting Collar**
- ▶ **For metric & imperial shafts**

A setting collar or "clamp ring" is used to set the compression length of seals where a different setting length exists between two types of seals.

The collar is set screwed onto the shaft.

- ▶ **Materials of Construction**
S.S.

SIZE	D3	L4	SIZE	D3	L4
12mm	25.0	7.5	0.500"	26.0	7.5
14mm	27.0	7.5	0.625"	29.0	7.5
15mm	28.0	7.5	0.750"	32.0	7.5
16mm	29.0	7.5	0.875"	35.0	7.5
18mm	31.0	7.5	1.000"	39.0	7.5
20mm	33.0	7.5	1.125"	42.0	7.5
22mm	35.0	7.5	1.250"	45.0	7.5
24mm	37.0	7.5	1.375"	48.0	7.5
25mm	38.0	7.5	1.500"	53.0	10.0
28mm	41.0	7.5	1.625"	56.0	10.0
30mm	43.0	7.5	1.750"	60.0	10.0
32mm	45.0	10.0	1.875"	63.0	10.0
33mm	45.0	10.0	2.000"	66.0	10.0
35mm	48.0	10.0	2.125"	69.0	10.0
38mm	53.0	10.0	2.250"	72.0	10.0
40mm	55.0	10.0	2.375"	79.0	10.0
42mm	57.0	10.0	2.500"	83.0	10.0
43mm	58.0	10.0	2.625"	86.0	10.0
45mm	60.0	10.0	2.750"	89.0	10.0
48mm	63.0	10.0	2.875"	94.0	10.0
50mm	65.0	10.0	3.000"	98.0	12.0
52mm	67.0	10.0	3.125"	100.0	12.0
53mm	68.0	10.0	3.250"	105.0	12.0
55mm	70.0	10.0	3.375"	108.0	12.0
58mm	73.0	10.0	3.500"	111.0	12.0
60mm	79.0	10.0	3.625"	114.0	12.0
63mm	81.0	10.0	3.750"	117.0	12.0
65mm	84.0	10.0	3.875"	120.0	12.0
68mm	87.0	10.0	4.000"	124.0	12.0
70mm	89.0	10.0			
73mm	95.0	12.0			
75mm	97.0	12.0			
80mm	102.0	12.0			
85mm	107.0	12.0			
90mm	112.0	12.0			
95mm	117.0	12.0			
100mm	122.0	12.0			
105mm	127.0	12.0			
110mm	132.0	12.0			
115mm	137.0	12.0			